

IN THE CLAIMS:

Please amend the claims as follows:

1. (Original) A urine sample collection device comprising:

a urine receptor having a surface which flares out from an outlet aperture to a rim

defining a perimeter of an inlet area into which a user urinates;

a generally elongate tubular member extending to an open end from said receptor outlet

aperture and receiving urinated urine flowing from said outlet aperture, the tubular member

having an opening formed in the side thereof;

a coupling means for releasably mounting a urine collection container, the coupling

means having a passage extending therethrough which meets said opening whereby urine

flowing in the tubular member can flow therefrom into a mounted container; and

a flow director located within the tubular member at or adjacent said opening and formed

to direct urine past the opening.

2. (Original) A device according to claim 1 wherein the flow director comprises a

projection towards a longitudinal axis of the tubular member.

3. (Original) A device according to claim 2 wherein the projection is provided upstream

of the opening.

4. (Original) A device according to claim 3 wherein the projection is also formed

downstream of the opening.

5. (Currently Amended) A device according to claim 3 or 4 wherein the projection

upstream of the opening has a surface inclined relative to the surface of said side of the tubular

member.

6. (Currently Amended) A device according to claim 3 or 4 wherein the projection upstream of the opening comprises a wall which extends across the tubular member to an extent corresponding to an upstream edge of said opening.

7. (Currently Amended) A device according to any preceding claim 1 wherein the flow director is formed to channel the urine flow along either side of the aperture.

8. (Original) A device according to claim 2 wherein said projection towards the longitudinal axis of the tubular member comprises the passage of the coupling means, the passage extending into the tubular member and presenting an area within the tubular member into which urine can enter and flow into the collection container.

9. (Original) A device according to claim 8 wherein the passage of the coupling means extends into the tubular member by an amount corresponding to between 20 and 60% of the height of the internal dimension of the tubular member.

10. (Currently Amended) A device according to claim 8 or 9 wherein said area comprises a semi-circle and wherein the passage extends into the tubular member to a greater extent downstream than upstream.

11. (Currently Amended) A device according to any one of claims claim 8 to 10 wherein the coupling means includes a further passage extending therethrough which meets said opening to present an area from which air in the collection container can escape into the tubular member.

12. (Original) A device according to claim 11 wherein the further passage of the coupling means extends into the tubular member by an amount which is greater than the first mentioned passage.

13. (Currently Amended) A device according to ~~either claim 11 or 12~~ wherein an opening at the further passage in the tubular member faces downstream.
14. (Currently Amended) A device according to ~~any of claims~~ claim 11 to 13 the opening in the further passage is at an incline facing downstream relative to the surface of said side of the tubular member.
15. (Currently Amended) A device according to ~~any of claims~~ claim 11 to 14 wherein a covering means for the opening is provided adjacent the opening.
16. (Currently Amended) A device according to ~~any preceding~~ claim 1 wherein the tubular member tapers to said open end.
17. (Currently Amended) A device according to ~~any preceding~~ claim 1 and further comprising a flow limiter, or urine collection container having a flow limiter, for limiting flow of urine into the container.
18. (Original) A device according to claim 17 wherein the flow limiter allows urine to enter a container to a predetermined limit, after which further urine is prevented from entering the container.
19. (Currently Amended) A device according to ~~either claim 17 or 18~~ wherein the flow limiter comprises a valve between the opening and a container in use, which valve closes when the urine in the container reaches a predetermined level.
20. (Currently Amended) A device according to ~~any of claims~~ to claim 17 to 19 wherein the flow limiter comprises a valve through which urine can flow from the tubular member into a container, the valve comprising a lower opening through which urine can pass into the container, an upper opening through which urine can enter the valve from the tubular member, and a closure member positioned between the upper and lower openings, and dimensioned so as to be capable of closing the upper opening.

21. (Original) A device according to claim 20 wherein the closure member has a density lower than that of urine.

22. (Currently Amended) A device according to claim 20 or 21 wherein the closure member comprises a ball.

23. Cancelled